ORDER FOR SUPPLIES OR SERVICES									PAGE 1 OF 16			
	ACT PURCH O			2. DELIV	/ERY ORDER	/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2004FEB06	ER/CAL		JISITION/PURCH RE	QUEST NO.	5. PRIORITY DOA4
6. ISSUEL	BY			CODE	W56HZV	7. ADMINIST	7. ADMINISTERED BY (If other than 6) CODE S1501A			1501A	8. DELIVERY FOB	
MARILYN EUSEARY (586)574-6359 WARREN, MICHIGAN 48397-5000 EMAIL: EUSEARYM@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL					EMM 889 IND	A INDIANAPOLETT J. BEAN C 9 E. 56TH ST. IANAPOLIS, IN	ENTER I 462		ADD DT. 110025	0.7	X DESTINATION OTHER (See Schedule if	
9. CONTR	ACTOR			CODE	34623	SCD: A FACIL			ELIVER TO F	ADP PT: HQ033 OB POINT BY (Date)		other) 11. X IF BUSINESS IS
	•						•	(Y	YYYMMMDI	D)		SMALL
NAME AND	P O BO MISHAW	UTI X	H BYRKIT STREET	28					SCHEDULE			SMALL DISADVANTAGED WOMAN OWNER
ADDRESS	3											WOMAN-OWNED
	• TYPE E	BUS:	INESS: Large Bus	siness J	Performing	g in U.S.	•		Block 15	S TO THE ADDRESS	IN BLOCK	
14. SHIP 1				CODE			T WILL BE MADE I			COD	E HQ0337	MARK ALL PACKAGES AND
SEE	SCHEDULE					DFA P.O	S - COLUMBUS S-CO/NORTH EN . BOX 182266 UMBUS OH 4	TITLE	MENT OPER	RATION		PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL		THIS DELIVERY ORDER	R IS ISSUED	ON ANOTHER O	GOVERNMENT AG	GENCY OR IN ACCORD	ANCE W	ITH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE	Х	Reference your	Oral		-	6HZV04Q0188	, D	ated			
		**										MAY PREVIOUSLY HAVE ME.
							SIGNED MMMDD)					
	SCHEDULE	APP	PROPRIATION DATA/L(OCAL USE								
18. ITEM		СНЕ	EDULE OF SUPPLIES/SE	ERVICE			20. QUANTITY ORDERED/ ACCEPTED*	?	21. UNIT	22. UNIT PRICE	23. AMOUNT	
	CON' F:	rra irm	CHEDULE CT TYPE: I-Fixed-Price OF CONTRACT:									
	Si	ıpp	oly Contracts and									
	accepted by the antity ordered,			4. UNITED		GAPINSKI			_		25. TOTAL 26.	\$5,530.00
	t, enter actual q rdered and enci		ity accepted below B	BY:	GAPINSKM	@TACOM.ARM	Y.MIL (586)57			RDERING OFFICER	DIFFERENCES	
		7	N 20 HAS BEEN						_			
	PECTED TURE OF AUT	_	ECEIVED A RIZED GOVERNMENT I			DRMS TO CONT	c. DATE (YYYYMMMD		d. PRINTE	D NAME AND TITLE SENTATIVE	OF AUTHORIZE	D GOVERNMENT
e. MAILI	NG ADDRESS (OF A	UTHORIZED GOVERN	MENT RE	PRESENTATI	VE	28. SHIP. NO.		29. D.O. VOU	CHER NO.	30. INITIALS	
					PARTIA				33. AMOUNT V	ERIFIED CORRECT FOR		
f. TELEPHONE NUMBER g. E-MAIL ADDRESS					FINAL 31. PAYMENT	'			34. CHECK NU	CK NUMBER		
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.				г.	COMPL	ETE						
a. DATE	MMDD)		b. SIGNATURE AND	TITLE OF	CERTIFYING	OFFICER	PARTIA FINAL	L			35. BILL OF LA	DING NO.
37. RECEIVED AT 38. RECEIVED BY (Print) 39. DATE RECEIVED (YYYYMMMDD)					40. TOTAL CO TAINERS	DN-	41. S/R ACCOUNT NUMBER 42. S/R VOUCHER NO.			ER NO.		

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0428

MOD/AMD

Page 2 **of** 16

Name of Offeror or Contractor: AM GENERAL LLC

over guidance found on the TACOM contracting web page.

SUPPLEMENTAL INFORMATION

1

Regulatory Cite	Title	<u>Date</u>
52.204-4016	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003
(TACOM)		

- (a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/userguide.htm and http://contracting.tacom.army.mil/ebidnotice.htm for more information. Any requirements included in the solicitation take precedence
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.
- (e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil
- (f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at http://www.ecrc.ctc.com

[End of Clause]

CAGE CODE 24617 is GM spec/std.-commercial spec/std. not provided

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0428 MOD/AMD

Page 3 **of** 16

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2590-01-433-8553 FSCM: 19207 PART NR: 57K3491 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	125	KT	\$44.24000	\$5,530.00
	NOUN: MODIFICATION KIT, VE PRON: EH4Y1612EH PRON AMD: 02 ACRN: AA AMS CD: 070011				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENT SHEET LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3308T900 W45G19 M 1 DEL REL CD QUANTITY DAYS AFTER AWARD 001 125 0150				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS (W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF GATE 44 BLDG 184 TEXARKANA TX 75507-5000				
	CONTRACT/DELIVERY ORDER NUMBER W56HZV-04-P-0428/0000				
0002	FSCM: 19207 PART NR: 57K3491 SECURITY CLASS: Unclassified				
0002AA	Option Quantity	125	KT	\$ 44.24000	\$5,530.00

Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0428 MOD/AMD

Page 4 of 16

OPTION QUANTITY, PURSUANT TO SECTION I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY SEPARATELY PRICED LINE ITEM		
The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.		
The failure of the offeror to insert a unit price applicable to the option quantity shall mean that the offeror will supply all or any part of the option, if exercised by the Government, at the basic contract unit price, and the offer will be evaluated for award accordingly.		
(End of narrative B001)		
Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: UNEXERCISED OPTION CLIN LEVEL PRESERVATION: Military LEVEL PACKING: B Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin		
Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 DEL REL CD OUANTITY DEL DATE		
001 125 UNDEFINITIZED		
FOB POINT: Destination		
SHIP TO: PARCEL POST ADDRESS (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.		
CONTRACT/DELIVERY ORDER NUMBER W56HZV-04-P-0428/0000		

	CONTIN	Refer	Page 5 of 16							
	CONTIN	PIIN/SIIN W56HZV-04-P-0428		MOD	AMD					
Name	of Offeror or	Contractor	AM GENERAL	LLC						1
CONTRAC	T ADMINISTRA	TION DATA								
	PRON/						JOB			
LINE	AMS CD/	OBLG					ORDER	ACCOUNT	ING	OBLIGATED
<u>ITEM</u>	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	EH4Y1612EH	AA 2	97 X4930A	.C6D 6D	26FB	S20113		W56HZV	\$	5,530.00
	070011									
								TOTAL	\$	5,530.00
SERVICE	1						ACCOU	NTING		OBLIGATED
NAME	TOTA	L BY ACRN	ACCOUNTING	CLASSIFICATION			STATI	ON		AMOUNT
Army		AA	97 X4930A	.C6D 6D	26FB	S20113	W56HZ	V	\$ _	5,530.00
								TOTAL	\$	5,530.00

CONTINUATION SHEET	Reference No. of Document Being	Page 6 of 16	
CONTINUATION SHEET	PIIN/SIIN W56HZV-04-P-0428	MOD/AMD	

Name of Offeror or Contractor: AM GENERAL LLC

ACT CL	AUSES		
2	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
3	52.222-19	CHILD LABORCOOPERATION WITH AUTHORITIES AND REMEDIES	SEP/2002
4	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
5	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUN/2003
6	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFERCENTRAL CONTRACTOR REGISTRATION	OCT/2003
7	52.246-1	CONTRACTOR INSPECTION REQUIREMENTS	APR/1984
8	52.246-2	INSPECTION OF SUPPLIESFIXED PRICE	AUG/1996
9	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
10	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
11	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I	DEC/2000
		dated Dec 2000)	
12	52.204-4006	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED	MAY/2000
	(TACOM)	ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	

- (a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.
- (b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: http://contracting.tacom.army.mil/opportunity.htm
- (c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.
 - (d) We hereby specify that the required F.O.B. point for this acquisition is destination.
- (e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

13 52.211-4015 CONFIGURATION CONTROL--ENGINEERING CHANGES JUL/2002 (TACOM)

(a) DEFINITIONS:

- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
 - (3) Value Engineering Change Proposal (VECP). A proposal that --
 - (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
 - (A) In deliverable end item quantities only;
 - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
 - (C) To the contract type only.

~~-				~
('')	ויוין או		\mathbf{I}	SHEET
	111		1111	171111111111

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0428

MOD/AMD

Page 7 **of** 16

- (4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDDs) which can be found at the following website: http://contracting.tacom.army.mil/engr/engrchange.htm. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
 - (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is N5.
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
 - (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
 - (d) Submittal Procedures for ECPs/VECPs/RFDs.
 - (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
 - (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.
- WARNING Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.
- (e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:
- ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer (-2-) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.
 - (f) Approval of ECPs, VECPs and RFDs.
- (1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the
- (2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.
 - (3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.
- (g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

CONTINUATION SHEET Reference No. of Document Being Continued Page 8 of 16 Pin/Siin W56HZV-04-P-0428 MOD/AMD

Name of Offeror or Contractor: AM GENERAL LLC

- (h) Reminder Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.
 - (i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.
 - (i) Ouestions.
- (1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).
- (2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

14 52.217-4001 SEPARATELY PRICED OPTION FOR INCREASED QUANTITY APR/1997 (TACOM)

- (a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 125 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 120 days after DATE OF AWARD. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.
- (b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.
- (c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

15 52.242-4008 ROUTING OF SPECIAL PROCESS APPROVALS AUG/1994
(TACOM)

- (a) Specification TT-C-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.
- (b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.
- (c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

16 52.246-4005 INSPECTION AND ACCEPTANCE POINTS: ORIGIN FEB/1995
(TACOM)

- (a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection: ORIGIN Acceptance: ORIGIN
 - (b) Origin inspection shall take place at the site specified below:

AM GENERAL LLC 408 South Byrkit Street P.O. BOX 728 MISHAWAKA, IN 46546-0728

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0428

MOD/AMD

Page 9 of 16

Name of Offeror or Contractor: AM GENERAL LLC

[End of Clause]

17 52.246-4053

USE OF MIL-STD 1916

JAN/2001

(TACOM)

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD- 1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

18 52.222-25

AFFIRMATIVE ACTION COMPLIANCE

APR/1984

The offeror represents that

(1) It [] has developed and has on file

[] has not developed and does not have on file,

at each establishment, affirmative action programs required by the rules and regulations of the Secretary of Labor (41 CFR 60-1 and 60-2), or

(2) It [] has not previously had contracts subject to the written affirmative action programs requirement of the rules and regulations of the Secretary of Labor.

[End of Provision]

19 252.247-7023

TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002)

MAY/2002

- (a) Definitions. As used in this clause--
- (1) <u>Components</u> means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.
 - (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
 - (3) <u>Foreign flag vessel</u> means any vessel that is not a U.S.-flag vessel.
 - (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) <u>Subcontractor</u> means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
- (6) <u>Supplies</u> means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) <u>Supplies</u> includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) <u>U.S.-flag vessel</u> means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.
 - (b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
 - (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
 - (i) This contract is a construction contract; or

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0428

MOD/AMD

Page 10 of 16

- (ii) The supplies being transported are-
 - (A) Noncommercial items; or
 - (B) Commercial items that-
- (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
- $\qquad \qquad (2) \ \, \text{Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or$
- (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
 - (1) U.S.-flag vessels are not available for timely shipment;
 - (2) The freight charges are inordinately excessive or unreasonable; or
 - (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--
 - (1) Type, weight, and cube of cargo;
 - (2) Required shipping date;
 - (3) Special handling and discharge requirements;
 - (4) Loading and discharge points;
 - (5) Name of shipper and consignee;
 - (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.
- (e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information-
 - (1) Prime contract number;
 - (2) Name of vessel;
 - (3) Vessel flag of registry;
 - (4) Date of loading;
 - (5) Port of loading;
 - (6) Port of final discharge;
 - (7) Description of commodity;
 - (8) Gross weight in pounds and cubic feet if available;
 - (9) Total ocean freight in U.S. dollars; and
 - (10) Name of the steamship company.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0428 MOD/AMD

Name of Offeror or Contractor: AM GENERAL LLC

CONTINUATION SHEET

(f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

20 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING (TACOM)

DEC/2002

Page 11 of 16

- (a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website http://farsite.hill.af.mil/
- (b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: http://www.ccr.gov/ . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)
- (c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards official.htm Rock Island: http://aais.ria.army.mil/AAIS/AWDINFO/index.htm Picatinny: http://procnet.pica.army.mil/Contracts/Index.htm Red River Army Depot: http://www.redriver.army.mil/contracting/Awards Anniston Army Depot: http://www.anadprocnet.army.mil

- (d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.
- (1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".
- (2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at http://www.acq.osd.mil/ec/ecip/index.htm . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.
- (e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:
 - (1) Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access
 - (2) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM
 - (3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).
- (4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

Reference No. of Document Being Continued

COUNT MECHANIA D 0420

PIIN/SIIN W56HZV-04-P-0428

MOD/AMD

Page 12 of 16

Name of Offeror or Contractor: AM GENERAL LLC

CONTINUATION SHEET

The Government reserves the right to commence issuing orders to the contract within 90 calendar days after contract award. Any modifications and any delivery orders will be delivered electronically to the contractor using Electronic Data Interchange (EDI) via the Federal Acquisition Network (FACNET). Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

[End of Clause]

22 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999 (TACOM)

- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFOs.)
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).
- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

23 52.211-4008 DRAWING LIMITATIONS NOV/2002 (TACOM)

- (a) The drawings supplied with this contract are \underline{not} shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:
 - (1) depict the completed (item(s), and
 - (2) serve as the basis for inspection of the completed item(s).
- (b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.
- (c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.
- (d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.
- (e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0428

MOD/AMD

Page 13 of 16

Name of Offeror or Contractor: AM GENERAL LLC

- (a) If the technical data package requires the use of a TT-C-490, Type I, pretreatment system, the process including primer application must be approved by the procuring activity prior to use. All approved facilities have been provided a letter of system approval which identifies the specific phosphate chemical system and the limitations/exceptions authorized. These approval letters must be dated no later than January 1989. Letters of approval which do not identify the chemical system are limited to approval on a specific contract only and do not have carte blanc approval. Approvals are substrate specific. The default qualification is low carbon steel. Heat treated, low alloy steel and galvanized steels require special qualification.
- (b) Any zinc phosphate application facility requesting approval must submit the procedure to TACOM, ATTN: AMSTA-TR-E/267 for review at least 35 days before planned start-up. The procedure must identify the prime contractor and the contract number. The procedure must contain all the elements required per paragraph 3.2 of TT-C-490. A qualification audit will be arranged with the facility. The facility must demonstrate its ability to perform all required process control tests and operate successfully within its designated operating parameters.
- (c) If the contractor cannot find a capable facility within his area, a list of TACOM approved facilities is available at http://contracting.tacom.army.mil/engr/eng.htm . These facilities are capable of meeting the performance requirements in the specification.
- (d) For all TT-C-490, Type I facilities, the sentence "Sampling may then be reduced to one sample twice per week" in paragraph 4.2.8 of TT-C-490 is deleted and replaced with the following " Sampling for production control is required with the testing of two phosphated and primed specimens per month for each solvent-borne primer used and two specimens every two months for electrocoat primers".

- 25 52.211-4017 ENHANCED CARC REQUIREMENTS FOR HIGH PERFORMANCE SYSTEMS JUN/2002 (a) THE FOLLOWING REQUIREMENTS SUPERSEDE THE PERFORMANCE REQUIREMENTS CONTAINED IN TT-C-490, MIL-C-5541 AND MIL-C-53072 RELATIVE TO THE ADHESION AND CORROSION RESISTANCE OF THE CARC SYSTEM:
- (b) Ferrous and galvanized surfaces shall be cleaned and pretreated to provide the following level of performance on a repeatable basis. The cleaning/pretreatment/control process shall be documented and submitted to the procuring activity for approval prior to production. Qualification and process control testing shall be performed on the same substrate used in production. The system under test shall consist of the pretreatment and primer. There are significant variations in performance due to primer manufacturer, VOC content and primer thickness variation. Sufficient testing shall be conducted to achieve a statistical confidence in both the brand/type of primer used and the dry film thickness used in production. If the tolerance of the dry film thickness exceeds plus or minus 1.0 mil then you must qualify the extremes of the range separately.
- (c) To verify the corrosion resistance, a minimum of three test panels per test variation no smaller than 4 x 12 inches with the pretreatment/primer system as noted above shall be subjected to 1000 hr. of neutral salt spray per ASTM B117 (40 cycles of GM 9540P scribed is the preferred alternative) for ferrous substrates or 40 cycles of GM 9540P for galvanized surfaces. The test panels shall be cured for a minimum of 7 days and vertically scribed through the coating system to the metallic layer. A minimum of 24 hr. after the completion of the neutral salt spray test or within 5 days after completion of the GM 9540P test the scribe shall be scraped at a 30 degree (approximate) contact angle with a 38mm (approximate) blunt tipped metal blade such as a putty knife parallel and perpendicular to the scribe. There shall be no more than 3mm maximum loss of paint adhesion or corrosion at any point from the scribe line. In addition, there shall be no more than 5 blisters in the field with none exceeding 1mm; corrosion in the field shall not exceed Rust Grade 9 of ASTM D610. The minimum primer dry film thickness noted on the test panels which pases the corrosion resistance test shall be the minimum requirement for production painted hardware.
- (d) To verify long term CARC adhesion, after completion of the corrosion resistance test evaluation each test panel will be subjected to cross hatch tape test (minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 x 4 scribe lines to the metallic layer at 2mm intervals(approximate) and shall be done no closer than 12 mm from any edge or the scribe creep. Multiple head cutters are not recommended. Loss of two or more complete primer squares shall constitute failure.
- (e) The contractor must demonstrate the ability to pass both tests for the system to be considered acceptable. This testing shall be performed on 5 consecutive days of production. If all test panels are acceptable, the testing can revert to two test panels every two months of production.
- (f) The only system that is currently available to achieve this level of performance is a zinc phosphate pretreatment system per TT-C-490 with a high quality primer. All primers used must be on the QPL for MIL-P-23377, 53022, -53030, or 53084. Not all QPL primers with the exception of electrocoat primers per MIL-C-53084 have this level of corrosion resistance/paint adhesion, however. New high performance, "Combat Grade" Powder Coat Primers will also meet this performance requirement. These primers can only be applied by approved applicators. The Specification controlling both the primers and their application are available upon request from AMSTA-TR-E/MEPS, (586) 574-5083.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0428

MOD/AMD

Page 14 of 16

Name of Offeror or Contractor: AM GENERAL LLC

Note: Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed for the coating system to pass these performance tests.

- (g) For aluminum substrates the required pretreatment system is a chromate conversion per MIL-C-5541. If alternative pretreatment systems wish to be considered, they must demonstrate their ability to pass when coated with the nominal production primer (scribed) 120 cycles of GM 9540P. After completion of the test, the panels shall be scraped as noted above and shall have no more than 0.5mm of paint loss maximum from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm. After completion of the 120 cycle test, the cross hatch scribe test noted above shall be performed. The removal of one or more complete squares of primer shall constitute failure. The alternate system must demonstrate its ability to provide an acceptable product on 5 consecutive days of production to be considered a suitable alternative. The alternative process must be documented and approved by the procuring activity. Controls must be established to assure that the process remains under statistical control. The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.
- (h) Failure to meet the corrosion resistance/adhesion requirements shall be cause for rejection of all production units manufactured during that production interval.
- (i) Final Acceptance of the CARC Finish on Production Hardware:

The dry film thicknesses of the primer and topcoat as well as coating adhesion on the fully cured primer/topcoat coating system are mandatory requirements. Variations in the primer thickness and curing conditions will dramatically affect recoat windows and coating performance for some primers. Manufacturing processes which are unable to control the dry film thickness to the requirements contained in Table V of MIL-C-53072 shall be subjected to the 4 x 4 cross hatch scribe test noted above on two production units per lot with two tests per unit. One test shall be conducted on a vertical and one on a horizontal surface (relative to the painting process). There shall be a maximum removal of one complete square of primer/topcoat or topcoat only. The polyurethane CARC topcoat requires approximately 24 days to completely cure at 68 Degrees F. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190-210 degrees F for three hours (this is time at temperature and is, therefore, material thickness dependent) once the topcoat has reached a dry-to-touch condition. This is to be followed by 7 days at 65 degrees F minimum. Adhesion testing shall be performed only on a completely cured CARC finish. Contractors which have performed a thorough design of experiments methodology to evaluate the impact of paint system variables or have processes which meet Table V requirements can perform the final acceptance adhesion test on representative test coupons.

[End of Clause]

26 52.211-4036 FO (TACOM)

FORMAT OF THE TECHNICAL DATA PACKAGE

APR/2000

- (a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.
- (b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM
AMSTA-CM-CDD (TDP Requests)
Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Gerri Mackey and Diane Woods at (586) 574-7061, and Gloria McCullough at (586) 574-7064.

[End of Provision]

27 52.211-4047

NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL

APR/2000

(a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0428

MOD/AMD

Page 15 of 16

Name of Offeror or Contractor: AM GENERAL LLC

(b) Definitions:

- (1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.
 - (2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.
- (3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.
 - (4) "Remanufactured" means factory rebuilt to original specifications.
- (5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials
 - (6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.
- (c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.
 - (d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:
- (1) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.
- (2) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.
- (3) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.
- (e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract.

[End of Clause]

28 52.211-4049 (TACOM) PART NUMBERS NOT CURRENTLY APPROVED

NOV/1983

As specified elsewhere in this solicitation, part or all of the contract item to be procured hereunder is restricted to certain approved manufacturer's part numbers as set forth in the Schedule and/or the Technical Data Package. Any firm that produces an item which it believes to be equivalent to one of these approved part numbers is hereby encouraged to have such item tested and approved, so that the item will be eligible to be bought on future acquisitions. Please write to the attention of the buyer at the address indicated on the cover page of this solicitation and request a statement of the procedures by which items can be tested and approved for procurement. Such an enquiry should cite the applicable National Stock Number (NSN), the already approved part number, the part number of the item which the enquirer believes to be identical to our approved item, and a brief statement of the basis on which the new item is believed to be equivalent to our already approved item.

[End of Provision]

29 52.215-4404 DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY MAY/2002 (TACOM)

(a) The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 16 of 16
CONTINUATION SHEET	PIIN/SIIN W56HZV-04-P-0428 MOD/AMD	

Name of Offeror or Contractor: AM GENERAL LLC

(b) Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of Clause]

30 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 MAR/2002 (TACOM)

- (a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:
 - (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

1 and 2 of DFARS Appendix F.

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7326 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

- (b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables
 - (c) The DD250 form may be found, in three different formats, on the World Wide Web at http://webl.whs.osd.mil/icdhome/DD-0999.htm

[End of Clause]

31 52.247-4016 HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS JUL/2002 (TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.